PATENT COOPERATION

PCT

TREA REC'D	T\ 19	APR	2006
WIPO			PCT

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

(Chapter II of the Patent Cooperation Treaty)

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference RLL-478WO			FOR FURTHER AC	CTION	See Form PCT/IPEA/416
International application No. International filing date PCT/B2004/004185 17.12.2004			International filing date ((day/month/year)	Priority date (day/month/year) 23.12.2003
	rnational Patent Class 7. A61K9/48 A61K		ational classification and II	PC	
	licant NBAXY LABORA	TORIES LIMIT	ED		
1.	This report is the Authority under A	international pre Article 35 and tra	eliminary examination re nsmitted to the applican	port, established by t according to Artic	v this International Preliminary Examining e 36.
2.	This REPORT co	nsists of a total	of 7 sheets, including th	nis cover sheet.	
3.	This report is also	o accompanied b	y ANNEXES, comprisir	ng:	
	a. 🛭 sent to the	e applicant and t	o the International Bure	au) a total of 10 sł	neets, as follows:
	and/o	s of the descripti r sheets containi nistrative Instruc	ng rectifications authori	ngs which have bee zed by this Authorit	en amended and are the basis of this report y (see Rule 70.16 and Section 607 of the
	beyor	s which superse nd the disclosure lemental Box.	de earlier sheets, but w in the international app	hich this Authority o lication as filed, as	onsiders contain an amendment that goes indicated in item 4 of Box No. I and the
	sequence	listing and/or tal	Bureau only) a total of (in oles related thereto, in e ing (see Section 802 of	electronic form only,	mber of electronic carrier(s)) , containing a as indicated in the Supplemental Box nstructions).
4.	This report conta	ins indications re	elating to the following it	tems:	
	☑ Box No. I	Basis of the rep	oort		
	☐ Box No. II	Priority			
	☐ Box No. III	•	nent of opinion with reas	ard to novelty, inven	tive step and industrial applicability
	☐ Box No. IV	Lack of unity of	•	•	,
	⊠ Box No. V	Reasoned state			velty, inventive step or industrial atement
	☐ Box No. VI	Certain docum	ents cited		
	☐ Box No. VII	Certain defects	in the international app	lication	
	☐ Box No. VIII	Certain observ	ations on the internatior	al application	
Date	e of submission of the	e demand		Date of completion	of this report
Dan	Date of Submission of the demand			2 die er eempreuer	
21.	21.10.2005			20.04.2006	
Nan	Name and mailing address of the international			Authorized officer	osines Pelantene
prel	ML-2280 F	Patent Office - P.E IV Riiswiik - Pavs I	3. 5818 Patentlaan 2 Bas	Muller, S	Description of the Control of the Co
	Fax: +31 7	0 340 - 2040 Tx: 3 0 340 - 3016	ι ου ι εμο πι	Telephone No. +31	70 340-2080

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No. PCT/IB2004/004185

	Вох	(No.I E	Basis of the report
1.	With	n regard t	o the language , this report is based on
	\boxtimes	the inter	national application in the language in which it was filed
		of a trans ☐ intern ☐ public	tion of the international application into , which is the language slation furnished for the purposes of: national search (under Rules 12.3(a) and 23.1(b)) cation of the international application (under Rule 12.4(a)) national preliminary examination (under Rules 55.2(a) and/or 55.3(a))
2.	hav	re been fu	to the elements * of the international application, this report is based on <i>(replacement sheets which urnished to the receiving Office in response to an invitation under Article 14 are referred to in this iginally filed" and are not annexed to this report):</i>
	Des	cription, I	Pages
	1-19	9	as originally filed
	Clai	ims, Numl	bers
	1-78	3	filed with telefax on 21.10.2005
		a seque	nce listing and/or any related table(s) - see Supplemental Box Relating to Sequence Listing
3.		☐ the d☐ the c☐ the d☐ the s	endments have resulted in the cancellation of: lescription, pages laims, Nos. lrawings, sheets/figs lequence listing (specify): leable(s) related to sequence listing (specify):
4.		d not been oplements \(\precedent \) the dependence the dependen	ort has been established as if (some of) the amendments annexed to this report and listed below in made, since they have been considered to go beyond the disclosure as filed, as indicated in the al Box (Rule 70.2(c)). description, pages claims, Nos. drawings, sheets/figs sequence listing (specify): table(s) related to sequence listing (specify):
	*	Tf ite	m 4 applies, some or all of these sheets may be marked "superseded."

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No. PCT/IB2004/004185

		No. III Non-establishment of opinion with regard to novelty, inventive step and industrial licability
١.	The obv	questions whether the claimed invention appears to be novel, to involve an inventive step (to be non- ious), or to be industrially applicable have not been examined in respect of:
		the entire international application,
	\boxtimes	claims Nos. 25,26,37,38,57,58,77,78, with respect to industrial applicability
	bec	ause:
	\boxtimes	the said international application, or the said claims Nos. 25,26,37,38,57,58,77,78, with respect to industrial applicability relate to the following subject matter which does not require an international preliminary examination (specify):
		see separate sheet
		the description, claims or drawings (indicate particular elements below) or said claims Nos. are so unclear that no meaningful opinion could be formed (specify):
		the claims, or said claims Nos. are so inadequately supported by the description that no meaningful opinion could be formed (specify).
	⊠	no international search report has been established for the said claims Nos. 25,26,37,38,57,58,77,78, with respect to industrial applicability
		a meaningful opinion could not be formed without the sequence listing; the applicant did not, within the prescribed time limit:
		☐ furnish a sequence listing on paper complying with the standard provided for in Annex C of the Administrative Instructions, and such listing was not available to the International Preliminary Examining Authority in a form and manner acceptable to it.
		☐ furnish a sequence listing in electronic form complying with the standard provided for in Annex C of the Administrative Instructions, and such listing was not available to the International Preliminary Examining Authority in a form and manner acceptable to it.
		□ pay the required late furnishing fee for the furnishing of a sequence listing in response to an invitation under Rules 13ter.1(a) or (b) and 13ter.2.
		a meaningful opinion could not be formed without the tables related to the sequence listings; the applicant did not, within the prescribed time limit, furnish such tables in electronic form complying with the technical requirements provided for in Annex C-bis of the Administrative Instructions, and such tables were not available to the International Preliminary Examining Authority in a form and manner acceptable to it.
		the tables related to the nucleotide and/or amino acid sequence listing, if in electronic form only, do not comply with the technical requirements provided for in Annex C-bis of the Administrative Instructions.
		See separate sheet for further details

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No. PCT/IB2004/004185

Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Statement

Novelty (N)

Yes: Claims

1-78

No: Claims

Inventive step (IS)

Yes: Claims

No: Claims

1-78

Industrial applicability (IA)

Yes: Claims

1-24,27-36,39-56,59-76

No: Claims

2. Citations and explanations (Rule 70.7):

see separate sheet

PCT/IB2004/004185

Re Item III

Non-establishment of opinion with regard to novelty, inventive step and industrial applicability

For the assessment of the present claims 25,26,37,38,57,58,77,78 on the question whether they are industrially applicable, no unified criteria exist in the PCT Contracting States. The patentability can also be dependent upon the formulation of the claims. The EPO, for example, does not recognize as industrially applicable the subject-matter of claims to the use of a compound in medical treatment, but may allow, however, claims to a known compound for first use in medical treatment and the use of such a compound for the manufacture of a medicament for a new medical treatment.

Re Item V

Reasoned statement with regard to novelty, inventive step and industrial applicability; citations and explanations supporting such statement

1. Cited Documents

The following documents are referred to in this communication:

- D1: US-A-5 376 688 (MORTON ET AL) 27 December 1994 (1994-12-27)
- D2: US-B1-6 387 400 (TINDAL STEPHEN CHARLES ET AL) 14 May 2002 (2002-05-14)
- D3: WO 02/069936 A (DR. REDDY'S LABORATORIES LTD; MANDAOGADE, PRASHANT, MANOHAR; KOLHE, UJ) 12 September 2002 (2002-09-12)

2. Novelty

No document of the prior art discloses a clear ibuprofen composition comprising: a) 15-40% w/w ibuprofen, b) 30-70% w/w PEG, c) 1-10% w/w of a metal carbonate, and d) 1-10% w/w water.

Present claims 1-9,19-34,37-48,57-68,77,78 therefore appear to be new over the prior art

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY (SEPARATE SHEET)

International application No.

PCT/IB2004/004185

(Article 33(2) PCT).

No document of the prior art discloses a process for preparing a clear ibuprofen composition, comprising a) ibuprofen, b) PEG, c) a metal carbonate and d) water. Present claims 10-18,35,36,49-56,69-76 therefore appear to be new over the prior art (Article 33(2) PCT).

3. Inventive Step

Claims 1-9,19-34,37-48,57-68,77,78

D1 is considered as being the closest prior art. It discloses in example 5 a Naproxen solution comprising: a) 23,0% Naproxen, b) 5,3% of 50% KOH solution, c) 32,7% PEG, d) 32,7% Tween 80, and e) 1,2% w/w water. D1 mentions (see column 3, lines 14-22) that lbuprofen is another suitable acidic pharmaceutical agent in a limited list of possible compounds.

Consequently, the difference between D1 and present claims 1,19,37,57,77 of the present application lies in the use of a metal carbonate instead of KOH in D1.

D3 also discloses an ibuprofen composition to be incorporated in soft gelatin capsules. In order to avoid the use of hydroxide ion species, D3 uses (see page 3, lines 2-4) alkali metal bicarbonate to carry out partial ionization of ibuprofen and subsequent conversion into alkali metal salt.

It appears that the person skilled in the art would have combined D1 and D3 to replace in the compositions disclosed in D1 the hydroxide ion species by a metal carbonate. Independent claims 1,19,37,57,77 therefore appear not to be inventive over the prior art (Article 33(3) PCT).

Claims 10-18,35,36,49-56,69-76

D2 is considered as closest prior art. It discloses (see on column 6, lines 1-14) a process for preparing a clear ibuprofen solution comprising: a) dispersing ibuprofen in PEG, b) adding a 50% KOH/50% water solution to form a clear solution.

The difference between D2 and present claims 10,35,49,69 of the present application lies in the use of a metal carbonate instead of KOH in D1.

D3 also discloses an ibuprofen composition to be incorporated in soft gelatin capsules. In order to avoid the use of hydroxide ion species, D3 uses (see page 3, lines 2-4) alkali

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY (SEPARATE SHEET)

International application No.

PCT/IB2004/004185

metal bicarbonate to carry out partial ionization of ibuprofen and subsequent conversion into alkali metal salt.

It appears that the person skilled in the art would have applied the teaching of D3 to the process of D2 in order to prepare a clear ibuprofen composition comprising ibuprofen, PEG, a metal carbonate and water. Therefore claim 10 does not comply with Article 33(3) PCT.

Claims 35,49,69 do not appear to comprise any further technical features which lead to a non-obvious solution of a technical problem (Article 33(3) PCT).

Independent claims 10,35,49,69 therefore appear not to be inventive over the prior art (Article 33(3) PCT).

4. Industrial applicability

Claims 25,26,37,38,57,58,77,78 relate to subject-matter considered by this Authority to be covered by the provisions of Rule 67.1(iv) PCT. Consequently, no opinion will be formulated with respect to the industrial applicability of the subject-matter of these claims (Article 34(4)(a)(i) PCT).

Claims 1-24,27-36,39-56,59-76 satisfy the criterion of industrial applicability set forth in Article 33(4) PCT.

- 20 -

1	We	Claim:
---	----	--------

- 1 1. A clear ibuprofen composition comprising:
- a. from about 15% to about 40% w/w of ibuprofen,
- b. from about 30% to about 70% w/w of polyethylene glycol,
- 4 c. from about 1% to about 10% w/w of a metal carbonate, and
- d. from about 1% to about 10% w/w of water.
- 1 2. The composition according to claim 1 wherein the ibuprofen comprises from about
- 2 15% to about 35% w/w of the composition.
- 1 3. The composition according to claim 1 wherein the polyethylene glycol has an
- 2 average molecular weight of about 300 to about 1000.
- 1 4. Amended. The composition according to claim 3 wherein the polyethylene glycol
- 2 has a molecular weight of about 400.
- 1 5. The composition according to claim 1 wherein the metal carbonate comprises one
- 2 or more of sodium bicarbonate, calcium carbonate, potassium bicarbonate, sodium
- 3 carbonate, potassium carbonate, magnesium carbonate, magnesium bicarbonate, or
- 4 mixtures thereof.
- 1 6. The composition according to claim 5 wherein the metal carbonate comprises
- 2 potassium carbonate.
- 1 7. The composition according to claim 1 further comprising one or more active
- 2 ingredients, wherein the active ingredients comprise one or more of glucosamine,
- pseudoephedrine, codeine, paracetamol, econazole, hydrocodone, COX-2
- 4 inhibitors, alprazolam, dextromethorphan, chlorpheniramine, and pharmaceutically
- 5 acceptable salts thereof.
- 1 8. The composition according to claim 7 wherein the active ingredient comprises
- 2 pseudoephedrine and pharmaceutically acceptable salts thereof.
- 1 9. The composition according to claim 1 wherein the composition is filled into soft
- 2 gelatin capsules.

- 21 -

1 2	10.	A process of preparing a clear ibuprofen composition, the process comprising the steps of:
3		a. dissolving one or more metal carbonates in water to form a solution,
4		b. adding ibuprofen and the solution of step (a) to polyethylene glycol with optional heating, and
6		c. stirring to obtain a clear solution.
1 2	11.	The process according to claim 10 wherein the ibuprofen comprises from about 15% to about 35% w/w of the composition.
1 2	12.	The process according to claim 10 wherein the polyethylene glycol has an average molecular weight of about 300 to about 1000.
1 2	13.	Amended. The process according to claim 12 wherein the polyethylene glycol has a molecular weight of about 400.
1 2 3 4	14.	The process according to claim 10 wherein the metal carbonate comprises one or more of sodium bicarbonate, calcium carbonate, potassium bicarbonate, sodium carbonate, potassium carbonate, magnesium carbonate, magnesium bicarbonate, or mixtures thereof.
· 1	15.	The process according to claim 14 wherein the metal carbonate comprises potassium carbonate.
1 2 3 4 5	16.	The process according to claim 10 further comprising one or more active ingredients, wherein the active ingredients comprise one or more of glucosamine, pseudoephedrine, codeine, paracetamol, econazole, hydrocodone, COX-2 inhibitors, alprazolam, dextromethorphan, chlorpheniramine, and pharmaceutically acceptable salts thereof.
1 2	17.	The process according to claim 16 wherein the active ingredient comprises pseudoephedrine and pharmaceutically acceptable salts thereof.
1 2	18.	The process according to claim 10 further comprising filling the solution into a soft gelatin capsules.
1 2	19.	A soft gelatin capsule of ibuprofen, filled with a clear solution comprising:

2

RLL-478WO

- 22 -

3		b. from about 30% to about 70% w/w of polyethylene glycol,
4		c. from about 1% to about 10% w/w of a metal carbonate, and
5		d. from about 1% to about 10% w/w of water.
1 ·.2	20.	The soft gelatin capsule of claim 19 wherein gelatin mass of the capsule comprises gelatin, water, plasticizers, coloring agents and preservatives.
1 2	21.	Amended. The soft gelatin capsule of claim 20 wherein the plasticizers comprises sorbitol special solution and andrisorb.
1 2 3	22.	The soft gelatin capsule of claim 20 wherein the ratio of gelatin to water varies from 1:0.75 to 1:0.92 and the ratio of gelatin to plasticizer varies from 1:0.35 to 1:0.48.
1 2 3 4 5	23.	The soft gelatin capsule according to claim 19 further comprising one or more active ingredients, selected from glucosamine, pseudoephedrine, codeine, paracetamol, econazole, hydrocodone, COX-2 inhibitors, alprazolam, dextromethorphan, chlorpheniramine, and pharmaceutically acceptable salts thereof.
1 2	24.	The soft gelatin capsule according to claim 23 wherein the one or more active ingredient is pseudoephedrine and pharmaceutically acceptable salts thereof.
1 2 3 4	25.	A method of relieving one or more of pain, tenderness, inflammation and stiffness caused by one or more of arthritis and gout and pains from one or more of the common cold, backache, and pain after surgery or dental work, the method comprising administering a clear ibuprofen composition comprising:
5		a. from about 15% to about 40% w/w of ibuprofen,
6 7		b. from about 30% to about 70% w/w of polyethylene glycol,c. from about 1% to about 10% w/w of a metal carbonate, and
8		d. from about 1% to about 10% w/w of water.
1 2 3 4	26.	The method according to claim 25, wherein the composition further comprises one or more of glucosamine, pseudoephedrine, codeine, paracetamol, econazole, hydrocodone, COX-2 inhibitors, alprazolam, dextromethorphan, chlorpheniramine and pharmaceutically acceptable salts thereof.

- 23 -

1	27.	A clear ibuprofen-pseudoephedrine composition comprising:
1		a. from about 15% to about 40% w/w of ibuprofen,
2		b. from about 3% to about 6% w/w of pseudoephedrine or a pharmaceutically acceptable salt thereof,
- 4		c. from about 30% to about 70% w/w of polyethylene glycol,
5		d. from about 1% to about 10% w/w of a metal carbonate, and
6		e. 'from about 1% to about 10% w/w of water.
1 2	28.	The composition according to claim 27 wherein the ibuprofen comprises from about 15% to about 35% w/w of the composition.
1 2	29.	The composition according to claim 27 wherein the polyethylene glycol has an average molecular weight of about 300 to about 1000.
1 2	30.	Amended. The composition according to claim 29 wherein the polyethylene glycol has a molecular weight of about 400.
1 2 3 4	31.	The composition according to claim 27 wherein the metal carbonate comprises one or more of sodium bicarbonate, calcium carbonate, potassium bicarbonate, sodium carbonate, potassium carbonate, magnesium carbonate, magnesium bicarbonate, or mixtures thereof.
1 2	32.	The composition according to claim 31 wherein the metal carbonate comprises potassium carbonate.
1 2 3 4 5	33.	The composition according to claim 27 further comprising one or more active ingredients, wherein the active ingredient comprise one or more of glucosamine, codeine, paracetamol, econazole, hydrocodone, COX-2 inhibitors, alprazolam, dextromethorphan, chlorpheniramine, and pharmaceutically acceptable salts thereof.
1 2	34.	The composition according to claim 27 wherein the composition is filled into soft gelatin capsules.
1 2	35.	A process of preparing a clear ibuprofen-pseudoephedrine composition comprising the steps of:
3		a. dissolving one or more metal carbonates in water to form a solution,

- 24 -

5		a. adding ibuprofen and the solution of step (a) to polyethylene glycol with optional heating,
6		b. stirring to obtain a clear solution, and
7 8	·.	c. adding pseudoephedrine or a pharmaceutically acceptable salt thereof, and stirring to obtain a clear solution.
1	36.	The process according to claim 35 further comprising filling the solution of step
2		(d) into a soft gelatin capsule.
1	37.	A method of treating one or more of cough, cold, allergy, sinus and/or flu
2		symptoms and the discomfort, pain, fever and general malaise associated with it,
3		the method comprising administering a clear ibuprofen-pseudoephedrine
4		composition comprising:
5		a. from about 15% to about 40% w/w of ibuprofen,
6		b. from about 3% to about 6% w/w of pseudoephedrine or a pharmaceutically
7		acceptable salt thereof,
8		c. from about 30% to about 70% w/w of polyethylene glycol,
9		d. from about 1% to about 10% w/w of a metal carbonate, and
10	•	e. from about 1% to about 10% w/w of water.
1	38.	The method according to claim 37, wherein the composition further comprises one
2		or more of glucosamine, codeine, paracetamol, econazole, hydrocodone, COX-2
3		inhibitors, alprazolam, dextromethorphan, chlorpheniramine, and pharmaceutically
4		acceptable salts thereof.
5	39.	A clear ibuprofen composition comprising:
6		a. from about 15% to about 40% w/w of ibuprofen,
7		b. from about 30% to about 65% w/w of polyethylene glycol,
8		c. from about 1% to about 10% w/w of a metal carbonate,
9		d. from about 1% to about 15% w/w of a surfactant, and
10		e. from about 1% to about 10% w/w of water.
1	40.	The composition according to claim 39 wherein the ibuprofen comprises from
2		about 15% to about 35% w/w of the composition.
1	.41.	The composition according to claim 39 wherein the polyethylene glycol has an
2		average molecular weight of about 300 to about 1000

1

46.

RLL-478WO

- 25 - '

- 1 42. The composition according to claim 41 wherein the polyethylene glycol has a
 2 molecular weight of about 400.
 1 43. The composition according to claim 39 wherein the metal carbonate comprises one
- or more of sodium bicarbonate, calcium carbonate, potassium bicarbonate, sodium carbonate, potassium carbonate, magnesium carbonate, or mixtures thereof.
- 1 44. The composition according to claim 39 wherein the surfactant is a non-ionic hydrophilic surfactant.
- The composition according to claim 44 wherein the non-ionic hydrophilic surfactant comprises one or more of polyoxyethylene alkylethers, polyethylene glycol fatty acids esters, polyethylene glycol glycerol fatty acid esters, polyoxyethylene sorbitan fatty acid esters, polyoxyethylene-polyoxypropylene block copolymers, polyglyceryl fatty acid esters, polyoxyethylene glycerides,
- 6 polyoxyethylene vegetable oils, and polyoxyethylene hydrogenated vegetable oils.

The composition according to claim 39 further comprising one or more active

- 2 ingredients, wherein the active ingredients comprise one or more of glucosamine,
- 3 pseudoephedrine, codeine, paracetamol, econazole, hydrocodone, COX-2
- inhibitors, alprazolam, dextromethorphan, chlorpheniramine, and pharmaceutically acceptable salts thereof.
- 1 47. The composition according to claim 46 wherein the active ingredient comprises 2 pseudoephedrine and pharmaceutically acceptable salts thereof.
- 1 48. The composition according to claim 39 wherein the composition is filled into soft 2 gelatin capsules.
- 1 49. A process of preparing a clear ibuprofen composition, the process comprising the steps of:
- a dissolving one or more metal carbonates in water to form a solution,
- b. preparing a solution of one or more surfactants in polyethylene glycol with optional heating,
- 6 c. adding ibuprofen and the solution of step (a) to the solution of step (b), and
- d. stirring to obtain a clear solution.
- 1 50. The process according to claim 49 wherein the ibuprofen comprises from about 2 15% to about 35% w/w of the composition.

- 26 -

- 1 51. The process according to claim 49 wherein the polyethylene glycol has an average 2 molecular weight of about 300 to about 1000. 1 52. Amended. The process according to claim 51 wherein the polyethylene glycol has
- 2 a molecular weight of about 400.
- 1 53. The process according to claim 49 wherein the metal carbonate comprises one or more of sodium bicarbonate, calcium carbonate, potassium bicarbonate, sodium 2 3 carbonate, potassium carbonate, magnesium carbonate, magnesium bicarbonate, or
- 4 mixtures thereof.
- 54. 1 The process according to claim 53 wherein the metal carbonate comprises 2 potassium carbonate.
- 1 The process according to claim 49 wherein the surfactant comprises a non-ionic 55. · 2 hydrophilic surfactant.
- 1 56. The process according to claim 55 wherein the non-ionic hydrophilic surfactant 2 comprises one or more of polyoxyethylene alkylethers, polyethylene glycol fatty 3 acids esters, polyethylene glycol glycerol fatty acid esters, polyoxyethylene 4 sorbitan fatty acid esters, polyoxyethylene-polyoxypropylene block copolymers, 5 polyglyceryl fatty acid esters, polyoxyethylene glycerides, polyoxyethylene
- б vegetable oils, and polyoxyethylene hydrogenated vegetable oils.
- 1 57. A method of relieving one or more of pain, tenderness, inflammation and stiffness 2 caused by one or more of arthritis and gout and pains from one or more of the 3 common cold, backache, and pain after surgery or dental work, the method 4 comprising administering a clear ibuprofen composition comprising:
- 5 from about 15% to about 40% w/w of ibuprofen.
- 6 from about 30% to about 65% w/w of polyethylene glycol,
- 7 from about 1% to about 10% w/w of a metal carbonate.
- 8 from about 1% to about 15% w/w of a surfactant, and
- 9 from about 1% to about 10% w/w of water.
- 1 58. The method according to claim 57, wherein the composition further comprises one
- 2 or more of glucosamine, pseudoephedrine, codeine, paracetamol, econazole,
- 3 hydrocodone, COX-2 inhibitors, alprazolam, dextromethorphan, chlorpheniramine, 4 and pharmaceutically acceptable salts thereof.
- · 1 59. A clear ibuprofen-pseudoephedrine composition comprising:
- 2 from about 15% to about 40% w/w of ibuprofen,

- 27 -

,		b. Hom about 5% to about 6% w/w of pseudoephedrine,
4		c. from about 30% to about 65% w/w of polyethylene glycol,
5		d. from about 1% to about 10% w/w of a metal carbonate,
6		e. from about 1% to about 15% w/w of a surfactant, and
7		f. from about 1% to about 10% w/w of water.
1	60.	The composition according to claim 59 wherein the ibuprofen comprises from
2		about 15% to about 35% w/w of the composition.
1	61.	The composition according to claim 59 wherein the polyethylene glycol has an
2		average molecular weight of about 300 to about 1000.
1	62.	The composition according to claim 61 wherein the polyethylene glycol has a
2.		molecular weight of about 400.
1	63.	The composition according to claim 59 wherein the metal carbonate comprises
2		one or more of sodium bicarbonate, calcium carbonate, potassium bicarbonate,
3		sodium carbonate, potassium carbonate, magnesium carbonate, magnesium
4		bicarbonate, or mixtures thereof.
1	64.	The composition according to claim 63 wherein the metal carbonate comprises
2		potassium carbonate.
1	65.	The composition according to claim 59 wherein the surfactant is a non-ionic
2 ·		hydrophilic surfactant.
1	66.	The composition according to claim 65 wherein the non-ionic hydrophilic
2 ·		surfactant comprises one or more of polyoxyethylene alkylethers, polyethylene
3		glycol fatty acids esters, polyethylene glycol glycerol fatty acid esters,
4		polyoxyethylene sorbitan fatty acid esters, polyoxyethylene-polyoxypropylene
5		block copolymers, polyglyceryl fatty acid esters, polyoxyethylene glycerides,
6		polyoxyethylene vegetable oils, and polyoxyethylene hydrogenated vegetable oils
1	67.	The composition according to claim 59 further comprising one or more active
2		ingredients, wherein the active ingredients comprise one or more of glucosamine,
3		codeine, paracetamol, econazole, hydrocodone, COX-2 inhibitors, alprazolam,
4		dextromethorphan, chlorpheniramine, and pharmaceutically acceptable salts
5		thereof.

- 28 -

1 2	68.	The composition according to claim 59 wherein the composition is filled into soft gelatin capsules.
1	69.	A process of preparing a clear ibuprofen-pseudoephedrine composition comprising
2		the steps of:
3		a. dissolving one or more metal carbonates in water to form a solution,
4 5		b. preparing a solution of one or more surfactants in polyethylene glycol with optional heating,
6		c. adding ibuprofen and the solution of step (a) to the solution of step (b),
7		d. stirring to obtain a clear solution, and
8 9		e. adding pseudoephedrine or a pharmaceutically acceptable salt thereof to the solution of step (d) with continuous stirring to obtain a clear solution.
1 2	70.	The process according to claim 69 wherein the ibuprofen comprises from about 15% to about 35% w/w of the composition.
1 2	71.	The process according to claim 69 wherein the polyethylene glycol has an average molecular weight of about 300 to about 1000.
1 2 3 4	72.	The process according to claim 69 wherein the metal carbonate comprises one or more of sodium bicarbonate, calcium carbonate, potassium bicarbonate, sodium carbonate, potassium carbonate, magnesium carbonate, magnesium bicarbonate, or mixtures thereof.
1 2	73.	The process according to claim 69 wherein the surfactant comprises a non-ionic hydrophilic surfactant.
1 2 3 4	74.	The process according to claim 73 wherein the non-ionic hydrophilic surfactant comprises one or more of polyoxyethylene alkylethers, polyethylene glycol fatty acids esters, polyethylene glycol glycerol fatty acid esters, polyoxyethylene sorbitan fatty acid esters, polyoxyethylene-polyoxypropylene block copolymers,
5		polyglyceryl fatty acid esters, polyoxyethylene glycerides, polyoxyethylene
6		vegetable oils, and polyoxyethylene hydrogenated vegetable oils.

- 29 -

1	75.	The process according to claim 69 further comprising one or more active
2		ingredients, wherein the active ingredients comprise one or more of
3		glucosamine, codeine, paracetamol, econazole, hydrocodone, COX-2
4		inhibitors, alprazolam, dextromethorphan, chlorpheniramine, and
5		pharmaceutically acceptable salts thereof.
1	76.	The process according to claim 69 further comprising filling the solution of
2		step (e) into a soft gelatin capsule.
1	77.	A method of treating one or more of cough, cold, allergy, sinus and/or flu
2		symptoms and the discomfort, pain, fever and general malaise associated with
3		it, the method comprising administering a clear ibuprofen-pseudoephedrine
4		composition comprising:
5		a. from about 15% to about 40% w/w of ibuprofen,
6		b. from about 3% to about 6% w/w of pseudoephedrine or a
7		pharmaceutically acceptable salt thereof,
8		c. from about 30% to about 70% w/w of polyethylene glycol,
9		d. from about 1% to about 10% w/w of a metal carbonate,
10		e. from about 1% to about 15% w/w of a surfactant, and
11		f. from about 1% to about 10% of water.
1	78.	The method according to claim 76, wherein the composition further comprises
2		one or more of glucosamine, codeine, paracetamol, econazole, hydrocodone,
3		COX-2 inhibitors, alprazolam, dextromethorphan, chlorpheniramine, and
4		pharmaceutically acceptable salts thereof.